

2018

Schünemann, S., & Tüysüz, H. (2018). An Inverse Opal Structured Halide Perovskite Photocatalyst. *European Journal of Inorganic Chemistry*, 2018(20-21), 2350-2355. [doi:10.1002/ejic.201800078](https://doi.org/10.1002/ejic.201800078).

Wang, G.-H., Chen, K., Engelhardt, J., Tüysüz, H., Bongard, H.-J., Schmidt, W. N., & Schüth, F. (2018). Scalable One-Pot Synthesis of Yolk-Shell Carbon Nanospheres with Yolk-Supported Pd Nanoparticles for Size-Selective Catalysis. *Chemistry of Materials*, 30(8), 2483-2487. [doi:10.1021/acs.chemmater.8b00456](https://doi.org/10.1021/acs.chemmater.8b00456).

Dodekatos, G., Abis, L., Freakley, S. J., Tüysüz, H., & Hutchings, G. J. (2018). Glycerol Oxidation Using MgO- and Al₂O₃-supported Gold and Gold-Palladium Nanoparticles Prepared in the Absence of Polymer Stabilizers. *ChemCatChem*, 10(6), 1351-1359. [doi:10.1002/cctc.201800074](https://doi.org/10.1002/cctc.201800074).

Yu, M., Chan, C. K., & Tüysüz, H. (2018). Coffee-Waste Templating of Metal Ion-Substituted Cobalt Oxides for the Oxygen Evolution Reaction. *ChemSusChem*, 11(3), 605-611. [doi:10.1002/cssc.201701877](https://doi.org/10.1002/cssc.201701877).

2017

Schünemann, S., Schüth, F., & Tüysüz, H. (2017). Selective glycerol oxidation over ordered mesoporous copper aluminum oxide catalysts. *Catalysis Science & Technology*, (23), 5614-5624. [doi:10.1039/C7CY01451A](https://doi.org/10.1039/C7CY01451A).

Deng, X., Rin, R., Weidenthaler, C., Tseng, J.-c., Apfel, U.-P., & Tüysüz, H. (2017). Monodispersed Mesoporous Silica Spheres Supported Co₃O₄ as Robust Catalyst for Oxygen Evolution Reaction. *ChemCatChem*, 9(22), 4238-4243. [doi:10.1002/cctc.201701001](https://doi.org/10.1002/cctc.201701001).

Schünemann, S., Brittmann, S., Chen, K., Garnett, E. C., & Tüysüz, H. (2017). Halide Perovskite 3D Photonic Crystals for Distributed Feedback Lasers. *ACS Photonics*, 4(10), 2522-2528. [doi:10.1021/acsp Photonics.7b00780](https://doi.org/10.1021/acsp Photonics.7b00780).

Chen, K., Deng, X., Dodekatos, G., & Tüysüz, H. (2017). Photocatalytic Polymerization of 3, 4-Ethylenedioxythiophene over Cesium Lead Iodide Perovskite Quantum Dots. *Journal of the American Chemical Society*, 139(35), 12267-12273. [doi:10.1021/jacs.7b06413](https://doi.org/10.1021/jacs.7b06413).

Deng, X., Öztürk, S., Weidenthaler, C., & Tüysüz, H. (2017). Iron-Induced Activation of Ordered Mesoporous Nickel Cobalt Oxide Electrocatalyst for the Oxygen Evolution Reaction. *ACS Applied Materials and Interfaces*, 9(25), 21225-21233. [doi:10.1021/acscami.7b02571](https://doi.org/10.1021/acscami.7b02571).

Zywitzki, D., Jing, H., Tüysüz, H., & Chan, C. (2017). High Surface Area, Amorphous Titania with Reactive Ti³⁺ through Photo-assisted Synthesis Method for Photocatalytic H₂ Generation. *Journal of Materials Chemistry A*, (22), 10957-10967. [doi:10.1039/C7TA01614J](https://doi.org/10.1039/C7TA01614J).

Chen, K., Schünemann, S., & Tüysüz, H. (2017). Preparation of Waterproof Organometal Halide Perovskite Photonic Crystal Beads. *Angewandte Chemie International Edition*, 56(23), 6648-6652. [doi:10.1002/anie.201702556](https://doi.org/10.1002/anie.201702556).

Spanos, I., Auer, A. A., Neugebauer, S., Deng, X., Tüysüz, H., & Schlögl, R. (2017). Standardized Benchmarking of Water Splitting Catalysts in a Combined Electrochemical Flow Cell/Inductively Coupled Plasma-Optical Emission Spectrometry (ICP-OES) Setup. *ACS Catalysis*, 7(5), 3768-3778. [doi:10.1021/acscatal.7b00632](https://doi.org/10.1021/acscatal.7b00632).

Tüysüz, H., & Dodekatos, G. (2017). Effect of post-treatment on structure and catalytic activity of CuCo-based materials for glycerol oxidation. *ChemCatChem*, 9(4), 610-619. [doi:10.1002/cctc.201601219](https://doi.org/10.1002/cctc.201601219).

Deng, X., Chen, K., & Tüysüz, H. (2017). Protocol for the Nanocasting Method: Preparation of Ordered Mesoporous Metal Oxides. *Chemistry of Materials*, 29(1), 40-52. [doi:10.1021/acs.chemmater.6b02645](https://doi.org/10.1021/acs.chemmater.6b02645).

2016

Deng, X., Chan C, C. K., & Tüysüz, H. (2016). Spent Tea Leaf Templating of Cobalt-Based Mixed Oxide Nanocrystals for Water Oxidation. *ACS Applied Materials and Interfaces*, 8(47), 32488-32495. [doi:10.1021/acsami.6b12005](https://doi.org/10.1021/acsami.6b12005).

Prieto, G., Tüysüz, H., Duyckaerts, N., Knossalla, J., Wang, G., & Schüth, F. (2016). Hollow Nano- and Microstructures as Catalysts. *Chemical Reviews*, 116(22), 14056-14119. [doi:10.1021/acs.chemrev.6b00374](https://doi.org/10.1021/acs.chemrev.6b00374).

Dodekatos, G., & Tüysüz, H. (2016). Plasmonic Au/TiO₂ nanostructures for glycerol oxidation. *Catalysis Science & Technology*, 6(19), 7307-7315. [doi:10.1039/C6CY01192F](https://doi.org/10.1039/C6CY01192F).

Schünemann, S., Chen, K., Brittman, S., Garnett, E., & Tüysüz, H. (2016). Preparation of Organometal Halide Perovskite Photonic Crystal Films for Potential Optoelectronic Applications. *ACS Applied Materials and Interfaces*, 8(38), 25489-25495. [doi:10.1021/acsami.6b09227](https://doi.org/10.1021/acsami.6b09227).

Wang, G., Deng, X., Gu, D., Chen, K., Tüysüz, H., Spliethoff, B., Bongard, H.-J., Weidenthaler, C., Schmidt, W., & Schüth, F. (2016). Co₃O₄ Nanoparticles Supported on Mesoporous Carbon for Selective Transfer Hydrogenation of α,β -Unsaturated Aldehydes. *Angewandte Chemie International Edition*, 55(37), 11101-11105. [doi:10.1002/anie.201604673](https://doi.org/10.1002/anie.201604673).

Chen, K., Deng, X., Goddard, R., & Tüysüz, H. (2016). Pseudomorphic Transformation of Organometal Halide Perovskite Using the Gaseous Hydrogen Halide Reaction. *Chemistry of Materials*, 28(15), 5530-5537. [doi:10.1021/acs.chemmater.6b02233](https://doi.org/10.1021/acs.chemmater.6b02233).

Konkena, B., junge Puring, K., Sinev, I., Piontek, S., Khavryuchenko, O., Durholt, J. P., Schmid, R., Tüysüz, H., Muhler, M., Schuhmann, W., & Apfel, U.-P. (2016). Pentlandite rocks as sustainable and stable efficient electrocatalysts for hydrogen generation. *Nature Communications*, 7: 12269, pp. 12269. [doi:10.1038/ncomms12269](https://doi.org/10.1038/ncomms12269).

Grewe, T., & Tüysüz, H. (2016). Activated-Carbon-Templated Crystalline Tantalates for Photocatalytic Water Splitting. *ChemNanoMat*, 2(4), 274-280. [doi:10.1002/cnma.201600033](https://doi.org/10.1002/cnma.201600033).

Deng, X., Bongard, H.-J., Chan, C. K., & Tüysüz, H. (2016). Dual-Templated Cobalt Oxide for Photochemical Water Oxidation. *ChemSusChem*, 9(4), 409-415. [doi:10.1002/cssc.201500872](https://doi.org/10.1002/cssc.201500872).

Grewe, T., Yang, T., Tüysüz, H., & Chan, C. K. (2016). Hyperbranched potassium lanthanum titanate perovskite photocatalysts for hydrogen generation. *Journal of Materials Chemistry A*, 4(8), 2837-2841. [doi:10.1039/C5TA07424J](https://doi.org/10.1039/C5TA07424J).

Grewe, T., & Tüysüz, H. (2016). Alkali metals incorporated ordered mesoporous tantalum oxide with enhanced photocatalytic activity for water splitting. *Journal of Materials Chemistry A*, 4(8), 3007-3017. [doi:10.1039/C5TA07086D](https://doi.org/10.1039/C5TA07086D).

Grewe, T., Meggouh, M., & Tüysüz, H. (2016). Nanocatalysts for Solar Water Splitting and a Perspective on Hydrogen Economy. *Chemistry – An Asian Journal*, 11(1), 22-42. [doi:10.1002/asia.201500723](https://doi.org/10.1002/asia.201500723).

Dodekatos, G., Schünemann, S., & Tüysüz, H. (2016). Surface Plasmon-Assisted Solar Energy Conversion. In *Topics in Current Chemistry* (pp. 215-252). Berlin: Springer-Verlag. [doi:10.1007/128_2015_642](https://doi.org/10.1007/128_2015_642).

Chan, C. K., Tüysüz, H., Braun, A., Ranjan, C., La Mantia, F., Miller, B. K., Zhang, L., Crozier, P. A., Haber, J. A., Gregoire, J. M., Park, H. S., Batchellor, A. S., Trotochaud, L., & Boettcher, S. W. (2016). Advanced and In Situ Analytical Methods for Solar Fuel Materials. In *Topics in Current Chemistry* (pp. 253-324). Cham: Springer. doi: 10.1007/128_2015_650.

2015

Auer, A. A., Cap, S., Antonietti, M., Cherevko, S., Deng, X., Papakonstantinou, G., Sundmacher, K., Brüller, S., Antonyshy, I., Dimitratos, N., Davis, R. J., Fechner, N., Freakley, S., Grin, Y., Gunnoe, B. T., Haj-Hariri, H., Hutchings, G., Liang, H., Mayrhofer, K. J. J., Müllen, K., Neese, F., Ranjan, C., Sankar, M., Schlögl, R., Schüth, F., Spanos, I., Stratmann, M., Tüysüz, H., Vidakovic-Koch, T., Yi, Y., & Zangari, G. (2015). MAXNET Energy – Focusing Research in Chemical Energy Conversion on the Electrolytic Oxygen Evolution. *Green: The International Journal of Sustainable Energy Conversion and Storage*, 5, 7-21. [doi:10.1515/green-2015-0021](https://doi.org/10.1515/green-2015-0021).

Deng, X., Dodekatos, G., Pupovac, K., Weidenthaler, C., Schmidt, W., Schüth, F., & Tüysüz, H. (2015). Pseudomorphic Generation of Supported Catalysts for Glycerol Oxidation. *ChemCatChem*, 7(23), 3832-3837. [doi:10.1002/cctc.201500703](https://doi.org/10.1002/cctc.201500703).

Schünemann, S., Dodekatos, G., & Tüysüz, H. (2015). Mesoporous Silica Supported Au and AuCu Nanoparticles for Surface Plasmon Driven Glycerol Oxidation. *Chemistry of Materials*, 27(22), 7743-7750. [doi:10.1021/acs.chemmater.5b03520](https://doi.org/10.1021/acs.chemmater.5b03520).

Grewe, T., & Tüysüz, H. (2015). Amorphous and Crystalline Sodium Tantalate Composites for Photocatalytic Water Splitting. *ACS Applied Materials and Interfaces*, 7(41), 23153-23162. [doi:10.1021/acsami.5b06965](https://doi.org/10.1021/acsami.5b06965).

Chen, K., & Tüysüz, H. (2015). Morphology-Controlled Synthesis of Organometal Halide Perovskite Inverse Opals. *Angewandte Chemie International Edition*, 54(46), 13806-13810. [doi:10.1002/anie.201506367](https://doi.org/10.1002/anie.201506367).

Grewe, T., & Tüysüz, H. (2015). Designing Photocatalysts for Hydrogen Evolution: Are Complex Preparation Strategies Necessary to Produce Active Catalysts? *ChemSusChem*, 8(18), 3084-3091. [doi:10.1002/cssc.201500774](https://doi.org/10.1002/cssc.201500774).

Tüysüz, H., Schüth, F., Zhi, L. J., Muellen, K., & Comotti, M. (2015). Ammonia Decomposition over Iron Phthalocyanine-Based Materials. *ChemCatChem*, 7(9), 1453-1459. [doi:10.1002/cctc.201500024](https://doi.org/10.1002/cctc.201500024).

2014

Deng, X., Schmidt, W., & Tüysüz, H. (2014). Impacts of Geometry, Symmetry, and Morphology of Nanocast Co₃O₄ on Its Catalytic Activity for Water Oxidation. *Chemistry of Materials*, 26(21), 6127-6134. [doi:10.1021/cm5023163](https://doi.org/10.1021/cm5023163).

Deng, X., & Tüysüz, H. (2014). Cobalt-Oxide-Based Materials as Water Oxidation Catalyst: Recent Progress and Challenges. *ACS Catalysis*, 4(10), 3701-3714. [doi:10.1021/cs500713d](https://doi.org/10.1021/cs500713d).

Grewe, T., Deng, X., & Tüysüz, H. (2014). A Study on the Growth of Cr₂O₃ in Ordered Mesoporous Silica and Its Replication. *Chemistry – A European Journal*, 20(25), 7692-7697. [doi:10.1002/chem.201402301](https://doi.org/10.1002/chem.201402301).

Grewe, T., Deng, X., & Tüysüz, H. (2014). Influence of Fe Doping on Structure and Water Oxidation Activity of Nanocast Co₃O₄. *Chemistry of Materials*, 26(10), 3162-3168. [doi:10.1021/cm5005888](https://doi.org/10.1021/cm5005888).

Piao, L., Chen, X., Li, Y., & Tüysüz, H. (2014). Preface, recent progresses in the area of photocatalysis research. *Catalysis Today*, 225, 1-1. [doi:10.1016/j.cattod.2013.12.002](https://doi.org/10.1016/j.cattod.2013.12.002).

Grewe, T., Meier, K., & Tüysüz, H. (2014). Photocatalytic hydrogen production over various sodium tantalates. *Catalysis Today*, 225, 142-148. [doi:10.1016/j.cattod.2013.10.092](https://doi.org/10.1016/j.cattod.2013.10.092).

Parsons-Moss, T., Tüysüz, H., Wang, D., Jones, S., Olive, D., & Nitsche, H. (2014). Plutonium sorption to nanocast mesoporous carbon. *Radiochimica Acta*, 102(6), 489-504. [doi:10.1515/ract-2014-2138](https://doi.org/10.1515/ract-2014-2138).

2013

Grewe, T., Deng, X., Weidenthaler, C., Schüth, F., & Tüysüz, H. (2013). Design of ordered mesoporous composites materials and their electrocatalytic activities for water oxidation. *Chemistry of Materials*, 25, 4926-4935. [doi:10.1021/cm403153u](https://doi.org/10.1021/cm403153u).

Tüysüz, H., Hwang, Y. J., Khan, S. B., Asiri, A. M., & Yang, P. (2013). Mesoporous Co_3O_4 as an electrocatalyst for water oxidation. *Nano Research*, 6(1), 47-54. [doi:10.1007/s12274-012-0280-8](https://doi.org/10.1007/s12274-012-0280-8).

Tüysüz, H., & Chen, C. (2013). Preparation of amorphous and nanocrystalline sodium tantalum oxide photocatalysts with porous matrix structure for overall water splitting. *NANO ENERGY*, 2(1), 116-123. [doi:10.1016/j.nanoen.2012.08.003](https://doi.org/10.1016/j.nanoen.2012.08.003).

2012

Tüysüz, H., & Schüth, F. (2012). Ordered Mesoporous Materials as Catalysts. *Advances in Catalysis*, 55, 127-239. [doi:10.1016/B978-0-12-385516-9.00002-8](https://doi.org/10.1016/B978-0-12-385516-9.00002-8).

Tüysüz, H., Weidenthaler, C., Grewe, T., Salabaş, E.-L., Benitez, R. M. J., & Schüth, F. (2012). A crystal structure analysis and magnetic investigation on highly ordered mesoporous Cr_2O_3 . *Inorganic Chemistry*, 51(21), 11745-11752. [doi:10.1021/jc301671a](https://doi.org/10.1021/jc301671a).

Tüysüz, H., Salabaş, E.-L., Bill, E., Bongard, H.-J., Spliethoff, B., Lehmann, C. W., & Schüth, F. (2012). Synthesis of Hard Magnetic Ordered Mesoporous Co_3O_4 / CoFe_2O_4 Nanocomposites. *Chemistry of Materials*, 24(13), 2493-2500. [doi:10.1021/cm3005166](https://doi.org/10.1021/cm3005166).

Tüysüz, H., Weidenthaler, C., & Schüth, F. (2012). A Strategy for the Synthesis of Mesostructured Metal Oxides with Lower Oxidation States. *Chemistry – A European Journal*, 18(16), 5080-5086. [doi:10.1002/chem.201103650](https://doi.org/10.1002/chem.201103650).

2011

Deng, Y., Tüysüz, H., Henzie, J., & Yang, P. (2011). Templated Synthesis of Shape-Controlled, Ordered TiO_2 Cage Structures. *Small*, 7(14), 2037-2040. [doi:10.1002/smll.201100579](https://doi.org/10.1002/smll.201100579).

Benitez, M. J., Petravic, O., Tüysüz, H., Schüth, F., & Zabel, H. (2011). Fingerprinting the magnetic behavior of antiferromagnetic nanostructures using remanent magnetization curves. *Physical Review B*, 83: 134424. [doi:10.1103/PhysRevB.83.134424](https://doi.org/10.1103/PhysRevB.83.134424).

2010

Liu, Y., Tüysüz, H., Jia, C. J., Schwickardi, M., Rinaldi, R., Lu, A. H., Schmidt, W., & Schüth, F. (2010). From glycerol to allyl alcohol: iron oxide catalyzed dehydration and consecutive hydrogen transfer. *Chemical Communications*, 46, 1238-1240. [doi:10.1039/B921648K](https://doi.org/10.1039/B921648K).

2009

Tüysüz, H., Llamas Galilea, J., & Schüth, F. (2009). Highly Diluted Copper in a Silica Matrix as Active Catalyst for Propylene Oxidation to Acrolein. *Catalysis Letters*, 131, 49-53. [doi:10.1007/s10562-009-9909-y](https://doi.org/10.1007/s10562-009-9909-y).

Benitez, M. J., Petravic, O., Tüysüz, H., Schüth, F., & Zabel, H. (2009). Decoupling of magnetic core and shell contributions in antiferromagnetic Co_3O_4 nanostructures. *EPL*, 88(2): 27004. [doi:10.1209/0295-5075/88/27004](https://doi.org/10.1209/0295-5075/88/27004).

2008

Tüysüz, H. (2008). Novel Mesostructured Metal Oxides. PhD Thesis, Ruhr-Universität, Bochum.

Tüysüz, H., Liu, Y., Weidenthaler, C., & Schüth, F. (2008). Pseudomorphic Transformation of Highly Ordered Mesoporous Co_3O_4 to CoO via Reduction with Glycerol. *Journal of the American Chemical Society*, 130, 14108-14110. [doi:10.1021/ja806202v](https://doi.org/10.1021/ja806202v).

Tüysüz, H., Comotti, M., & Schüth, F. (2008). Ordered mesoporous Co_3O_4 as highly active catalyst for low temperature CO-oxidation. *Chemical Communications (Cambridge, U. K.)*, 4022-4024. [doi:10.1039/b808815b](https://doi.org/10.1039/b808815b).

Tüysüz, H., Salabaş, E. L., Weidenthaler, C., & Schüth, F. (2008). Synthesis and magnetic investigation of ordered mesoporous two-line ferrihydrite. *Journal of the American Chemical Society*, 130, 280-287. [doi:10.1021/ja075528j](https://doi.org/10.1021/ja075528j).

Tüysüz, H., Lehmann, C. W., Bongard, H., Tesche, B., Schmidt, R., & Schüth, F. (2008). Direct imaging of surface topology and pore system of ordered mesoporous silica (MCM-41, SBA-15, and KIT-6) and nanocast metal oxides by high resolution scanning electron microscopy. *Journal of the American Chemical Society*, 130, 11510-11517. [doi:10.1021/ja803362s](https://doi.org/10.1021/ja803362s).

Lu, A.-H., Tüysüz, H., & Schüth, F. (2008). Synthesis of ordered mesoporous carbon containing highly dispersed copper-sulphur compounds in the carbon framework via a nanocasting route. *Microporous and Mesoporous Materials*, 111, 117-123. [doi:10.1016/j.micromeso.2007.07.017](https://doi.org/10.1016/j.micromeso.2007.07.017).

Benitez, M. J., Petravic, O., Salabaş, E.-L., Radu, F., Tüysüz, H., Schüth, F., & Zabel, H. (2008). Evidence for core-shell magnetic behavior in antiferromagnetic Co_3O_4 nanowires. *Physical Review Letters*, 101: 097206, pp. 097206/1-097206/4. [doi:10.1103/PhysRevLett.101.097206](https://doi.org/10.1103/PhysRevLett.101.097206).