

## 2017

---

Schünemann, S., Schüth, F., & Tüysüz, H. (2017). Selective glycerol oxidation over ordered mesoporous copper aluminum oxide catalysts. *Catalysis Science & Technology*, (23), 5614-5624. [doi:10.1039/C7CY01451A](https://doi.org/10.1039/C7CY01451A).

Deng, X., Rin, R., Weidenthaler, C., Tseng, J.-c., Apfel, U.-P., & Tüysüz, H. (2017). Monodispersed Mesoporous Silica Spheres Supported  $\text{Co}_3\text{O}_4$  as Robust Catalyst for Oxygen Evolution Reaction. *ChemCatChem*, 9(22), 4238-4243. [doi:10.1002/cctc.201701001](https://doi.org/10.1002/cctc.201701001).

Schünemann, S., Brittman, S., Chen, K., Garnett, E. C., & Tüysüz, H. (2017). Halide Perovskite 3D Photonic Crystals for Distributed Feedback Lasers. *ACS Photonics*, 4(10), 2522-2528. [doi:10.1021/acsp Photonics.7b00780](https://doi.org/10.1021/acsp Photonics.7b00780).

Chen, K., Deng, X., Dodekatos, G., & Tüysüz, H. (2017). Photocatalytic Polymerization of 3, 4-Ethylenedioxythiophene over Cesium Lead Iodide Perovskite Quantum Dots. *Journal of the American Chemical Society*, 139(35), 12267-12273. [doi:10.1021/jacs.7b06413](https://doi.org/10.1021/jacs.7b06413).

Deng, X., Öztürk, S., Weidenthaler, C., & Tüysüz, H. (2017). Iron-Induced Activation of Ordered Mesoporous Nickel Cobalt Oxide Electrocatalyst for the Oxygen Evolution Reaction. *ACS Applied Materials and Interfaces*, 9(25), 21225-21233. [doi:10.1021/acscami.7b02571](https://doi.org/10.1021/acscami.7b02571).

Zywitzki, D., Jing, H., Tüysüz, H., & Chan, C. (2017). High Surface Area, Amorphous Titania with Reactive  $\text{Ti}^{3+}$  through Photo-assisted Synthesis Method for Photocatalytic  $\text{H}_2$  Generation. *Journal of Materials Chemistry A*, (22), 10957-10967. [doi:10.1039/C7TA01614J](https://doi.org/10.1039/C7TA01614J).

Chen, K., Schünemann, S., & Tüysüz, H. (2017). Preparation of Waterproof Organometal Halide Perovskite Photonic Crystal Beads. *Angewandte Chemie International Edition*, 56(23), 6648-6652. [doi:10.1002/anie.201702556](https://doi.org/10.1002/anie.201702556).

Spanos, I., Auer, A. A., Neugebauer, S., Deng, X., Tüysüz, H., & Schlögl, R. (2017). Standardized Benchmarking of Water Splitting Catalysts in a Combined Electrochemical Flow Cell/Inductively Coupled Plasma-Optical Emission Spectrometry (ICP-OES) Setup. *ACS Catalysis*, 7(5), 3768-3778. [doi:10.1021/acscatal.7b00632](https://doi.org/10.1021/acscatal.7b00632).

Tüysüz, H., & Dodekatos, G. (2017). Effect of post-treatment on structure and catalytic activity of CuCo-based materials for glycerol oxidation. *ChemCatChem*, 9(4), 610-619. [doi:10.1002/cctc.201601219](https://doi.org/10.1002/cctc.201601219).

Deng, X., Chen, K., & Tüysüz, H. (2017). Protocol for the Nanocasting Method: Preparation of Ordered Mesoporous Metal Oxides. *Chemistry of Materials*, 29(1), 40-52. [doi:10.1021/acs.chemmater.6b02645](https://doi.org/10.1021/acs.chemmater.6b02645).

## 2016

---

Deng, X., Chan, C. K., & Tüysüz, H. (2016). Spent Tea Leaf Templating of Cobalt-Based Mixed Oxide Nanocrystals for Water Oxidation. *ACS Applied Materials and Interfaces*, 8(47), 32488-32495. [doi:10.1021/acscami.6b12005](https://doi.org/10.1021/acscami.6b12005).

Prieto, G., Tüysüz, H., Duyckaerts, N., Knossalla, J., Wang, G., & Schüth, F. (2016). Hollow Nano- and Microstructures as Catalysts. *Chemical Reviews*, 116(22), 14056-14119. [doi:10.1021/acs.chemrev.6b00374](https://doi.org/10.1021/acs.chemrev.6b00374).

Dodekatos, G., & Tüysüz, H. (2016). Plasmonic Au/ $\text{TiO}_2$  nanostructures for glycerol oxidation. *Catalysis Science & Technology*, 6(19), 7307-7315. [doi:10.1039/C6CY01192F](https://doi.org/10.1039/C6CY01192F).

Schünemann, S., Chen, K., Brittman, S., Garnett, E., & Tüysüz, H. (2016). Preparation of Organometal Halide Perovskite Photonic Crystal Films for Potential Optoelectronic Applications. *ACS Applied Materials and Interfaces*, 8(38), 25489-25495. [doi:10.1021/acsami.6b09227](https://doi.org/10.1021/acsami.6b09227).

Wang, G., Deng, X., Gu, D., Chen, K., Tüysüz, H., Spliethoff, B., Bongard, H.-J., Weidenthaler, C., Schmidt, W., & Schüth, F. (2016). Co<sub>3</sub>O<sub>4</sub> Nanoparticles Supported on Mesoporous Carbon for Selective Transfer Hydrogenation of  $\alpha,\beta$ -Unsaturated Aldehydes. *Angewandte Chemie International Edition*, 55(37), 11101-11105. [doi:10.1002/anie.201604673](https://doi.org/10.1002/anie.201604673).

Chen, K., Deng, X., Goddard, R., & Tüysüz, H. (2016). Pseudomorphic Transformation of Organometal Halide Perovskite Using the Gaseous Hydrogen Halide Reaction. *Chemistry of Materials*, 28(15), 5530-5537. [doi:10.1021/acs.chemmater.6b02233](https://doi.org/10.1021/acs.chemmater.6b02233).

Konkena, B., junge Puring, K., Sinev, I., Piontek, S., Khavryuchenko, O., Durholt, J. P., Schmid, R., Tüysüz, H., Muhler, M., Schuhmann, W., & Apfel, U.-P. (2016). Pentlandite rocks as sustainable and stable efficient electrocatalysts for hydrogen generation. *Nature Communications*, 7: 12269, pp. 12269. [doi:10.1038/ncomms12269](https://doi.org/10.1038/ncomms12269).

Grewe, T., & Tüysüz, H. (2016). Activated-Carbon-Templated Crystalline Tantalates for Photocatalytic Water Splitting. *ChemNanoMat*, 2(4), 274-280. [doi:10.1002/cnma.201600033](https://doi.org/10.1002/cnma.201600033).

Deng, X., Bongard, H.-J., Chan, C. K., & Tüysüz, H. (2016). Dual-Templated Cobalt Oxide for Photochemical Water Oxidation. *ChemSusChem*, 9(4), 409-415. [doi:10.1002/cssc.201500872](https://doi.org/10.1002/cssc.201500872).

Grewe, T., Yang, T., Tüysüz, H., & Chan, C. K. (2016). Hyperbranched potassium lanthanum titanate perovskite photocatalysts for hydrogen generation. *Journal of Materials Chemistry A*, 4(8), 2837-2841. [doi:10.1039/C5TA07424J](https://doi.org/10.1039/C5TA07424J).

Grewe, T., & Tüysüz, H. (2016). Alkali metals incorporated ordered mesoporous tantalum oxide with enhanced photocatalytic activity for water splitting. *Journal of Materials Chemistry A*, 4(8), 3007-3017. [doi:10.1039/C5TA07086D](https://doi.org/10.1039/C5TA07086D).

Grewe, T., Meggouh, M., & Tüysüz, H. (2016). Nanocatalysts for Solar Water Splitting and a Perspective on Hydrogen Economy. *Chemistry – An Asian Journal*, 11(1), 22-42. [doi:10.1002/asia.201500723](https://doi.org/10.1002/asia.201500723).

Dodekatos, G., Schünemann, S., & Tüysüz, H. (2016). Surface Plasmon-Assisted Solar Energy Conversion. In *Topics in Current Chemistry* (pp. 215-252). Berlin: Springer-Verlag. [doi:10.1007/128\\_2015\\_642](https://doi.org/10.1007/128_2015_642).

Chan, C. K., Tüysüz, H., Braun, A., Ranjan, C., La Mantia, F., Miller, B. K., Zhang, L., Crozier, P. A., Haber, J. A., Gregoire, J. M., Park, H. S., Batchellor, A. S., Trotochaud, L., & Boettcher, S. W. (2016). Advanced and In Situ Analytical Methods for Solar Fuel Materials. In *Topics in Current Chemistry* (pp. 253-324). Cham: Springer. doi: 10.1007/128\_2015\_650.

## 2015

---

Auer, A. A., Cap, S., Antonietti, M., Cherevko, S., Deng, X., Papakonstantinou, G., Sundmacher, K., Brüller, S., Antonyshy, I., Dimitratos, N., Davis, R. J., Fechner, N., Freakley, S., Grin, Y., Gunnoe, B. T., Haj-Hariri, H., Hutchings, G., Liang, H., Mayrhofer, K. J. J., Müllen, K., Neese, F., Ranjan, C., Sankar, M., Schlögl, R., Schüth, F., Spanos, I., Stratmann, M., Tüysüz, H., Vidakovic-Koch, T., Yi, Y., & Zangari, G. (2015). MAXNET Energy – Focusing Research in Chemical Energy Conversion on the Electrolytic Oxygen Evolution. *Green: The International Journal of Sustainable Energy Conversion and Storage*, 5, 7-21. [doi:10.1515/green-2015-0021](https://doi.org/10.1515/green-2015-0021).

Deng, X., Dodekatos, G., Pupovac, K., Weidenthaler, C., Schmidt, W., Schüth, F., & Tüysüz, H. (2015). Pseudomorphic Generation of Supported Catalysts for Glycerol Oxidation. *ChemCatChem*, 7(23), 3832-3837. [doi:10.1002/cctc.201500703](https://doi.org/10.1002/cctc.201500703).

Schünemann, S., Dodekatos, G., & Tüysüz, H. (2015). Mesoporous Silica Supported Au and AuCu Nanoparticles for Surface Plasmon Driven Glycerol Oxidation. *Chemistry of Materials*, 27(22), 7743-7750.

[doi:10.1021/acs.chemmater.5b03520](https://doi.org/10.1021/acs.chemmater.5b03520).

Grewe, T., & Tüysüz, H. (2015). Amorphous and Crystalline Sodium Tantalate Composites for Photocatalytic Water Splitting. *ACS Applied Materials and Interfaces*, 7(41), 23153-23162. [doi:10.1021/acsami.5b06965](https://doi.org/10.1021/acsami.5b06965).

Chen, K., & Tüysüz, H. (2015). Morphology-Controlled Synthesis of Organometal Halide Perovskite Inverse Opals. *Angewandte Chemie International Edition*, 54(46), 13806-13810. [doi:10.1002/anie.201506367](https://doi.org/10.1002/anie.201506367).

Grewe, T., & Tüysüz, H. (2015). Designing Photocatalysts for Hydrogen Evolution: Are Complex Preparation Strategies Necessary to Produce Active Catalysts? *ChemSusChem*, 8(18), 3084-3091. [doi:10.1002/cssc.201500774](https://doi.org/10.1002/cssc.201500774).

Tüysüz, H., Schüth, F., Zhi, L. J., Muellen, K., & Comotti, M. (2015). Ammonia Decomposition over Iron Phthalocyanine-Based Materials. *ChemCatChem*, 7(9), 1453-1459. [doi:10.1002/cctc.201500024](https://doi.org/10.1002/cctc.201500024).

## 2014

---

Deng, X., Schmidt, W., & Tüysüz, H. (2014). Impacts of Geometry, Symmetry, and Morphology of Nanocast  $\text{Co}_3\text{O}_4$  on Its Catalytic Activity for Water Oxidation. *Chemistry of Materials*, 26(21), 6127-6134. [doi:10.1021/cm5023163](https://doi.org/10.1021/cm5023163).

Deng, X., & Tüysüz, H. (2014). Cobalt-Oxide-Based Materials as Water Oxidation Catalyst: Recent Progress and Challenges. *ACS Catalysis*, 4(10), 3701-3714. [doi:10.1021/cs500713d](https://doi.org/10.1021/cs500713d).

Grewe, T., Deng, X., & Tüysüz, H. (2014). A Study on the Growth of  $\text{Cr}_2\text{O}_3$  in Ordered Mesoporous Silica and Its Replication. *Chemistry - A European Journal*, 20(25), 7692-7697. [doi:10.1002/chem.201402301](https://doi.org/10.1002/chem.201402301).

Grewe, T., Deng, X., & Tüysüz, H. (2014). Influence of Fe Doping on Structure and Water Oxidation Activity of Nanocast  $\text{Co}_3\text{O}_4$ . *Chemistry of Materials*, 26(10), 3162-3168. [doi:10.1021/cm5005888](https://doi.org/10.1021/cm5005888).

Piao, L., Chen, X., Li, Y., & Tüysüz, H. (2014). Preface, recent progresses in the area of photocatalysis research. *Catalysis Today*, 225, 1-1. [doi:10.1016/j.cattod.2013.12.002](https://doi.org/10.1016/j.cattod.2013.12.002).

Grewe, T., Meier, K., & Tüysüz, H. (2014). Photocatalytic hydrogen production over various sodium tantalates. *Catalysis Today*, 225, 142-148. [doi:10.1016/j.cattod.2013.10.092](https://doi.org/10.1016/j.cattod.2013.10.092).

Parsons-Moss, T., Tüysüz, H., Wang, D., Jones, S., Olive, D., & Nitsche, H. (2014). Plutonium sorption to nanocast mesoporous carbon. *Radiochimica Acta*, 102(6), 489-504. [doi:10.1515/ract-2014-2138](https://doi.org/10.1515/ract-2014-2138).

## 2013

---

Grewe, T., Deng, X., Weidenthaler, C., Schüth, F., & Tüysüz, H. (2013). Design of ordered mesoporous composites materials and their electrocatalytic activities for water oxidation. *Chemistry of Materials*, 25, 4926-4935. [doi:10.1021/cm403153u](https://doi.org/10.1021/cm403153u).

Tüysüz, H., Hwang, Y. J., Khan, S. B., Asiri, A. M., & Yang, P. (2013). Mesoporous  $\text{Co}_3\text{O}_4$  as an electrocatalyst for water oxidation. *Nano Research*, 6(1), 47-54. [doi:10.1007/s12274-012-0280-8](https://doi.org/10.1007/s12274-012-0280-8).

Tüysüz, H., & Chen, C. (2013). Preparation of amorphous and nanocrystalline sodium tantalum oxide photocatalysts with porous matrix structure for overall water splitting. *NANO ENERGY*, 2(1), 116-123.

[doi:10.1016/j.nanoen.2012.08.003](https://doi.org/10.1016/j.nanoen.2012.08.003).

## 2012

---

Tüysüz, H., & Schüth, F. (2012). Ordered Mesoporous Materials as Catalysts. *Advances in Catalysis*, 55, 127-239.

[doi:10.1016/B978-0-12-385516-9.00002-8](https://doi.org/10.1016/B978-0-12-385516-9.00002-8).

Tüysüz, H., Weidenthaler, C., Grewe, T., Salabaş, E.-L., Benitez, R. M. J., & Schüth, F. (2012). A crystal structure analysis and magnetic investigation on highly ordered mesoporous Cr<sub>2</sub>O<sub>3</sub>. *Inorganic Chemistry*, 51(21), 11745-11752.

[doi:10.1021/ic301671a](https://doi.org/10.1021/ic301671a).

Tüysüz, H., Salabaş, E.-L., Bill, E., Bongard, H.-J., Spliethoff, B., Lehmann, C. W., & Schüth, F. (2012). Synthesis of Hard Magnetic Ordered Mesoporous Co<sub>3</sub>O<sub>4</sub> /CoFe<sub>2</sub>O<sub>4</sub> Nanocomposites. *Chemistry of Materials*, 24(13), 2493-2500.

[doi:10.1021/cm3005166](https://doi.org/10.1021/cm3005166).

Tüysüz, H., Weidenthaler, C., & Schüth, F. (2012). A Strategy for the Synthesis of Mesostructured Metal Oxides with Lower Oxidation States. *Chemistry - A European Journal*, 18(16), 5080-5086. [doi:10.1002/chem.201103650](https://doi.org/10.1002/chem.201103650).

## 2011

---

Deng, Y., Tüysüz, H., Henzie, J., & Yang, P. (2011). Templated Synthesis of Shape-Controlled, Ordered TiO<sub>2</sub> Cage Structures. *Small*, 7(14), 2037-2040. [doi:10.1002/sml.201100579](https://doi.org/10.1002/sml.201100579).

Benitez, M. J., Petravic, O., Tüysüz, H., Schüth, F., & Zabel, H. (2011). Fingerprinting the magnetic behavior of antiferromagnetic nanostructures using remanent magnetization curves. *Physical Review B*, 83: 134424.

[doi:10.1103/PhysRevB.83.134424](https://doi.org/10.1103/PhysRevB.83.134424).

## 2010

---

Liu, Y., Tüysüz, H., Jia, C. J., Schwickardi, M., Rinaldi, R., Lu, A. H., Schmidt, W., & Schüth, F. (2010). From glycerol to allyl alcohol: iron oxide catalyzed dehydration and consecutive hydrogen transfer. *Chemical Communications*, 46, 1238-1240. [doi:10.1039/B921648K](https://doi.org/10.1039/B921648K).

## 2009

---

Tüysüz, H., Llamas Galilea, J., & Schüth, F. (2009). Highly Diluted Copper in a Silica Matrix as Active Catalyst for Propylene Oxidation to Acrolein. *Catalysis Letters*, 131, 49-53. [doi:10.1007/s10562-009-9909-y](https://doi.org/10.1007/s10562-009-9909-y).

Benitez, M. J., Petravic, O., Tüysüz, H., Schüth, F., & Zabel, H. (2009). Decoupling of magnetic core and shell contributions in antiferromagnetic Co<sub>3</sub>O<sub>4</sub> nanostructures. *EPL*, 88(2): 27004. [doi:10.1209/0295-5075/88/27004](https://doi.org/10.1209/0295-5075/88/27004).

Tüysüz, H. (2008). Novel Mesostructured Metal Oxides. PhD Thesis, Ruhr-Universität, Bochum.

Tüysüz, H., Liu, Y., Weidenthaler, C., & Schüth, F. (2008). Pseudomorphic Transformation of Highly Ordered Mesoporous  $\text{Co}_3\text{O}_4$  to  $\text{CoO}$  via Reduction with Glycerol. *Journal of the American Chemical Society*, 130, 14108-14110. [doi:10.1021/ja806202v](https://doi.org/10.1021/ja806202v).

Tüysüz, H., Comotti, M., & Schüth, F. (2008). Ordered mesoporous  $\text{Co}_3\text{O}_4$  as highly active catalyst for low temperature CO-oxidation. *Chemical Communications (Cambridge, U. K.)*, 4022-4024. [doi:10.1039/b808815b](https://doi.org/10.1039/b808815b).

Tüysüz, H., Salabaş, E. L., Weidenthaler, C., & Schüth, F. (2008). Synthesis and magnetic investigation of ordered mesoporous two-line ferrihydrite. *Journal of the American Chemical Society*, 130, 280-287. [doi:10.1021/ja075528j](https://doi.org/10.1021/ja075528j).

Tüysüz, H., Lehmann, C. W., Bongard, H., Tesche, B., Schmidt, R., & Schüth, F. (2008). Direct imaging of surface topology and pore system of ordered mesoporous silica (MCM-41, SBA-15, and KIT-6) and nanocast metal oxides by high resolution scanning electron microscopy. *Journal of the American Chemical Society*, 130, 11510-11517. [doi:10.1021/ja803362s](https://doi.org/10.1021/ja803362s).

Lu, A.-H., Tüysüz, H., & Schüth, F. (2008). Synthesis of ordered mesoporous carbon containing highly dispersed copper-sulphur compounds in the carbon framework via a nanocasting route. *Microporous and Mesoporous Materials*, 111, 117-123. [doi:10.1016/j.micromeso.2007.07.017](https://doi.org/10.1016/j.micromeso.2007.07.017).

Benitez, M. J., Petravic, O., Salabaş, E.-L., Radu, F., Tüysüz, H., Schüth, F., & Zabel, H. (2008). Evidence for core-shell magnetic behavior in antiferromagnetic  $\text{Co}_3\text{O}_4$  nanowires. *Physical Review Letters*, 101: 097206, pp. 097206/1-097206/4. [doi:10.1103/PhysRevLett.101.097206](https://doi.org/10.1103/PhysRevLett.101.097206).