

Joshi, H. R., Schmidt, W., & Schüth, F. (2019). Encapsulation of sub-micrometer sized zeolites by porous silica – towards a rational design strategy for functional yolk-shells. *Microporous and Mesoporous Materials*, 282(7), 1-8. doi:10.1016/j.micromeso.2019.03.013.

Losch, P., Huang, W., Vozniuk, O., Goodman, E. D., Schmidt, W., & Cargnello, M. (2019). Modular Pd/Zeolite Composites Demonstrating the Key Role of Support Hydrophobic/Hydrophilic Character in Methane Catalytic Combustion. *ACS Catalysis*, 9(6), 4742-4753. doi:10.1021/acscatal.9b00596.

Joshi, H. R., Jalalpoor, D., Ochoa-Hernández, C., Schmidt, W., & Schüth, F. (2018). Ozone Treatment: A Versatile Tool for the Postsynthesis Modification of Porous Silica-Based Materials. *Chemistry of Materials*, 30(24), 8905-8914. doi:10.1021/acs.chemmater.8b04113.

Losch, P., Joshi, H. R., Vozniuk, O., Grünert, A., Ochoa-Hernández, C., Jabraoui, H., Badawi, M., & Schmidt, W. (2018). Proton Mobility, Intrinsic Acid Strength, and Acid Site Location in Zeolites Revealed by Varying Temperature Infrared Spectroscopy and Density Functional Theory Studies. *Journal of the American Chemical Society*, 140(50), 17790-17799. doi:10.1021/jacs.8b11588.

Grünert, A., Losch, P., Ochoa-Hernandez, C., Schmidt, W., & Schüth, F. (2018). Gas-phase synthesis of oxymethylene ethers over Si-rich zeolites. *Green Chemistry*, 20(20), 4719-4728. doi:10.1039/C8GC02617C.

Schreiter, I. J., Schmidt, W., & Schüth, C. (2018). Sorption mechanisms of chlorinated hydrocarbons on biochar produced from different feedstocks: Conclusions from single- and bi-solute experiments. *Chemosphere*, 203, 34-43. doi:10.1016/j.chemosphere.2018.03.173.

Wang, G.-H., Chen, K., Engelhardt, J., Tüysüz, H., Bongard, H.-J., Schmidt, W., & Schüth, F. (2018). Scalable One-Pot Synthesis of Yolk-Shell Carbon Nanospheres with Yolk-Supported Pd Nanoparticles for Size-Selective Catalysis. *Chemistry of Materials*, 30(8), 2483-2487. doi:10.1021/acs.chemmater.8b00456.

Castro, M., Losch, P., Park, W., Haouas, M., Taulelle, F., Loerbroks, C., Brabants, G., Breynaert, E., Kirschhock, C., Ryoo, R., & Schmidt, W. (2018). Unraveling Direct Formation of Hierarchical Zeolite Beta by Dynamic Light Scattering, Small Angle X-ray Scattering, and Liquid and Solid State NMR: Insights at the Supramolecular Level. *Chemistry of Materials*, 30(8), 2676-2686. doi:10.1021/acs.chemmater.8b00109.

Hwang, S., Parditka, B., Cserhádi, C., Erdélyi, Z., Gläser, R., Haase, J., Kärger, J., Schmidt, W., & Chmelik, C. (2017). IR Microimaging of Direction-Dependent Uptake in MFI-Type Crystals. *Chemie-Ingenieur-Technik*, 89(12), 1686-1693. doi:10.1002/cite.201700128.

Gu, D., Schmidt, W., Pichler, C., Bongard, H.-J., Spliethoff, B., Asahina, S., Cao, Z., Terasaki, O., & Schüth, F. (2017). Surface-Casting Synthesis of Mesoporous Zirconia with a CMK-5-Like Structure and High Surface Area. *Angewandte Chemie International Edition*, 56(37), 11222-11225. doi:10.1002/anie.201705042.

Castro, M., Haouas, M., Lim, I., Bongard, H.-J., Schüth, F., Taulelle, F., Karlsson, G., Alfredsson, V., Breyneart, E., Kirschhock, C. E. A., & Schmidt, W. (2016). Zeolite Beta Formation from Clear Sols: Silicate Speciation, Particle Formation and Crystallization Monitored by Complementary Analysis Methods. *Chemistry – A European Journal*, 22(43), 15307-15319. doi:10.1002/chem.201600511.

Wang, G., Deng, X., Gu, D., Chen, K., Tüysüz, H., Spliethoff, B., Bongard, H.-J., Weidenthaler, C., Schmidt, W., & Schüth, F. (2016). Co<sub>3</sub>O<sub>4</sub> Nanoparticles Supported on Mesoporous Carbon for Selective Transfer Hydrogenation of  $\alpha,\beta$ -Unsaturated Aldehydes. *Angewandte Chemie International Edition*, 55(37), 11101-11105. doi:10.1002/anie.201604673.

Sager, U., Däubner, E., Bathen, D., Schmidt, W., Weidenthaler, C., Tseng, J.-C., & Pommerin, A. (2016). Sorptive Abscheidung von Ammoniakmissionen an Aktivkohle und deren Modifikationen bei Umgebungsbedingungen - Sorptive removal of low concentrations of ammonia on activated carbon and its modifications at ambient conditions. *Gefahrstoffe-Reinhaltung der Luft*, 76(9), 338-343.

Gu, D., Tseng, J.-C., Weidenthaler, C., Bongard, H.-J., Spliethoff, B., Schmidt, W., Soulimani, F., Weckhuysen, B. M., & Schüth, F. (2016). Gold on Different Manganese Oxides: Ultra-Low-Temperature CO Oxidation over Colloidal Gold Supported on Bulk-MnO<sub>2</sub> Nanomaterials. *Journal of the American Chemical Society*, 138(30), 9572-9880. doi:10.1021/jacs.6b04251.

Wang, G., Cao, Z., Gu, D., Pfänder, N., Swertz, A.-C., Spliethoff, B., Bongard, H.-J., Weidenthaler, C., Schmidt, W., Rinaldi, R., & Schüth, F. (2016). Nitrogen-Doped Ordered Mesoporous Carbon Supported Bimetallic PtCo Nanoparticles for Upgrading of Biophenolics. *Angewandte Chemie International Edition*, 55(31), 8850-8855. doi:10.1002/anie.201511558.

Sager, U., Däubner, E., Bathen, D., Asbach, C., Schmidt, F., Tseng, J.-C., Pommerin, A., Weidenthaler, C., & Schmidt, W. (2016). Influence of the degree of infiltration of modified activated carbons with CuO/ZnO on the separation of NO<sub>2</sub> at ambient temperatures. *Adsorption Science & Technology*, 34(4-5), 307-319. doi:10.1177/0263617416653120.

Deng, X., Dodekatos, G., Pupovac, K., Weidenthaler, C., Schmidt, W., Schüth, F., & Tüysüz, H. (2015). Pseudomorphic Generation of Supported Catalysts for Glycerol Oxidation. *ChemCatChem*, 7(23), 3832-3837. doi:10.1002/cctc.201500703.

Gu, D., Jia, C., Weidenthaler, C., Bongard, H.-J., Spliethoff, B., Schmidt, W. N., & Schüth, F. (2015). Highly Ordered Mesoporous Cobalt-Containing Oxides: Structure, Catalytic Properties, and Active Sites in Oxidation of Carbon Monoxide. *Journal of the American Chemical Society*, 137(37), 11855-12160. doi:10.1021/jacs.5b06336.

Gu, D., Li, W., Wang, F., Bongard, H.-J., Spliethoff, B., Schmidt, W., Weidenthaler, C., Xia, Y., Zhao, D., & Schüth, F. (2015). Controllable Synthesis of Mesoporous Peapod-like  $\text{Co}_3\text{O}_4$ @Carbon Nanotube Arrays for High-Performance Lithium-Ion Batteries. *Angewandte Chemie International Edition*, 54(24), 7060-7064. doi:10.1002/anie.201501475.

Tseng, J.-C., Schmidt, W., Sager, U., Däubner, E., Pommerin, A., & Weidenthaler, C. (2015). Microstructure analysis of complex  $\text{CuO}/\text{ZnO}$ @carbon adsorbers: what are the limits of powder diffraction methods? *Physical Chemistry Chemical Physics*, 17, 12282-12291. doi:10.1039/C5CP01135C.

Busch, M., Schmidt, W., Migunov, V., Beckel, A., Notthoff, C., Kompch, A., Bergmann, U., Winterer, M., & Atakan, B. (2014). Effect of preparation of iron-infiltrated activated carbon catalysts on nitrogen oxide conversion at low temperature. *Applied Catalysis B*, 160-161, 641-650. doi:10.1016/j.apcatb.2014.05.010.

Gu, D., Jia, C., Bongard, H.-J., Spliethoff, B., Weidenthaler, C., Schmidt, W., & Schüth, F. (2014). Ordered mesoporous  $\text{Cu-Ce-O}$  catalysts for  $\text{CO}$  preferential oxidation in  $\text{H}_2$ -rich gases: Influence of copper content and pretreatment conditions. *Applied Catalysis B: Environmental*, 152-153, 11-18. doi:10.1016/j.apcatb.2014.01.011.

Castro, M., Haouas, M., Taulelle, F., Lim, I., Breynaert, E., Brabants, G., Kirschhock, C., & Schmidt, W. (2014). Multidiagnostic analysis of silicate speciation in clear solutions/sols for zeolite synthesis. *Microporous and Mesoporous Materials*, 189, 158-162. doi:10.1016/j.micromeso.2013.08.027.

Sager, U., Däuber, E., Asbach, C., Bathen, D., Schmidt, F., Weidenthaler, C., Tseng, J., & Schmidt, W. (2014). Differences between the adsorption of  $\text{NO}_2$  and  $\text{NO}$  on modified activated carbon / Unterschiede bei der Adsorption von  $\text{NO}_2$  und  $\text{NO}$  an modifizierter Aktivkohle. *Gefahrstoffe Reinhaltung der Luft / Air Quality Control*, (5), 181-184.

Deng, X., Schmidt, W., & Tüysüz, H. (2014). Impacts of Geometry, Symmetry, and Morphology of Nanocast  $\text{Co}_3\text{O}_4$  on Its Catalytic Activity for Water Oxidation. *Chemistry of Materials*, 26(21), 6127-6134. doi:10.1021/cm5023163.

Bazula, P., Arnal, P., Galeano Nunez, D. C., Zibrowius, B., Schmidt, W., & Schüth, F. (2014). Highly microporous monodisperse silica spheres synthesized by the Stöber process. *Microporous and Mesoporous Materials*, 200, 317-325. doi:10.1016/j.micromeso.2014.07.051.

Verheyen, E., Joos, L., Martineau, C., Dawson, C., Weidenthaler, C., Schmidt, W., Yuan, R., Breynaert, E., van Speybroeck, V., Waroquier, M., Taulelle, F., Treacy, M., Martens, J., & Kirschhock, C. (2014). Flexibility versus rigidity: what determines the stability of zeolite frameworks? A case study. *Materials Horizons*, 1(6), 582-587. doi:10.1039/C4MH00127C.

Sager, U., Schmidt, W., Schmidt, F., & Suhartiningsih, S. (2013). Catalytic reduction of nitrogen oxides via nanoscopic oxide catalysts within activated carbons at room temperature. *Adsorption-Journal of the International Adsorption Society*, 19(5), 1027-1033. doi:10.1007/s10450-013-9521-8.

Schmidt, W., Schüth, F., & Weidenthaler, C. (2013). Diffraction and Spectroscopy of Porous Solids. In *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering Comprehensive Inorganic Chemistry II (Second Edition) From Elements to Applications Volume 5: Porous Materials and Nanomaterials* (pp. 1-24).

Jiang, H., Bongard, H.-J., Schmidt, W., & Schüth, F. (2012). One-pot synthesis of mesoporous Cu- $\gamma$ -Al<sub>2</sub>O<sub>3</sub> as bifunctional catalyst for direct dimethyl ether synthesis. *Microporous and Mesoporous Materials*, (Volume 164), 3-8. doi:10.1016/j.micromeso.2012.08.004.

Reichinger, M., Schmidt, W., Narkhede, V., Zhang, W., Gies, H., & Grünert, W. (2012). Ordered mesoporous materials with MFI structured microporous walls - Synthesis and proof of wall microporosity. *Microporous and Mesoporous Materials*, 164(SI), 21-31. doi:10.1016/j.micromeso.2012.07.025.

Dangwal Pandey, A., Jia, C., Schmidt, W., Leoni, M., Schwickardi, M., Schüth, F., & Weidenthaler, C. (2012). Size-Controlled Synthesis and Microstructure Investigation of Co<sub>3</sub>O<sub>4</sub> Nanoparticles for Low Temperature CO Oxidation. *Journal of Physical Chemistry C*, 116(36), 19405-19412. doi:10.1021/jp306166g.

Gu, X., Tao, H., Schmidt, W., Lu, G., & Wang, Y. (2012). One-pot synthesis of polyhedron-like hollow aluminosilicate with mesoporous shells. *Journal of Materials Chemistry A*, 22(6), 2473-2477. doi:10.1039/c1jm13400k.

Schmidt, W. (2012). Synthetic Inorganic Ion Exchange. In Inamuddin, & M. Luqman (Eds.), *Ion Exchange Technology I* (pp. 277-298). Springer.

Busch, M., Bergmann, U., Sager, U., Schmidt, W., Schmidt, F., Notthoff, C., Atakan, B., & Winterer, M. (2011). Synthesis of Active Carbon-Based Catalysts by Chemical Vapor Infiltration for Nitrogen Oxide Conversion. *Journal of Nanoscience and Nanotechnology*, 11(9), 7956-7961. doi:10.1166/jnn.2011.5074.

Jia, C. J., Schwickardi, M., Weidenthaler, C., Schmidt, W., Korhonen, S., Weckhuysen, B. M., & Schüth, F. (2011). Co<sub>3</sub>O<sub>4</sub>-SiO<sub>2</sub> Nanocomposite: A Very Active Catalyst for CO Oxidation with Unusual Catalytic Behavior. *Journal of the American Chemical Society*, 133, 11279-11288. doi:10.1021/ja2028926.

Gu, X., Zhu, W. M., Jia, C. J., Zhao, R., Schmidt, W., & Wang, Y. Q. (2011). Synthesis and microwave absorbing properties of highly ordered mesoporous crystalline NiFe<sub>2</sub>O<sub>4</sub>. *Chemical Communications*, 47, 5337-5339. doi:10.1039/C0CC05800A.

Gu, X., Jiang, T. L., Tao, H. X., Zhou, S. T., Liu, X. H., Ren, J. W., Wang, Y. Q., Lu, G. Z., & Schmidt, W. (2011). Hydrothermally highly stable acidic mesoporous aluminosilicate spheres with radial channels. *Journal of Materials Chemistry*, *21*, 880-886. doi:10.1039/C0JM01973A.

Reichinger, M., Schmidt, W., van den Berg, M. W. E., Aerts, A., Martens, J. A., Kirschhock, C. E. A., Gies, H., & Grünert, W. (2010). Alkene epoxidation with mesoporous materials assembled from TS-1 seeds - Is there a hierarchical pore system? *Journal of Catalysis*, *269*, 367-375. doi:10.1016/j.jcat.2009.11.023.

Schmidt, W., Bussian, P., Lindén, M., Amenitsch, H., Agren, P., Tiemann, M., & Schüth, F. (2010). Accessing Ultrashort Reaction Times in Particle Formation with SAXS Experiments: ZnS Precipitation on the Microsecond Time Scale. *Journal of the American Chemical Society*, *132*(19), 6822-6826. doi:10.1021/ja101519z.

Liu, Y., Tüysüz, H., Jia, C. J., Schwickardi, M., Rinaldi, R., Lu, A. H., Schmidt, W., & Schüth, F. (2010). From glycerol to allyl alcohol: iron oxide catalyzed dehydration and consecutive hydrogen transfer. *Chemical Communications*, *46*, 1238-1240. doi:10.1039/B921648K.

Jia, C.-J., Liu, Y., Schwickardi, M., Weidenthaler, C., Spliethoff, B., Schmidt, W., & Schüth, F. (2010). Small gold particles supported on MgFe<sub>2</sub>O<sub>4</sub> nanocrystals as novel catalyst for CO oxidation. *Applied Catalysis A*, *386*, 94-100. doi:10.1016/j.apcata.2010.07.036.

Jia, C.-J., Liu, Y., Schmidt, W., Lu, A.-H., & Schüth, F. (2010). Small-sized HZSM-5 zeolite as highly active catalyst for gas phase dehydration of glycerol to acrolein. *Journal of Catalysis*, *269*, 71-79. doi:10.1016/j.jcat.2009.10.017.

Schmidt, W. (2009). Solid Catalysts on the Nanoscale: Design of Complex Morphologies and Pore Structures. *ChemCatChem*, *1*(1), 53-67. doi:10.1002/cctc.200900125.

Karwacki, L., Kox, M. H. F., de Winter, D. A. M., Drury, M. R., Meeldijk, J. D., Stavitski, E., Schmidt, W., Mertens, M., Cubillas, P., John, N., Chan, A., Kahn, N., Bare, S. R., Anderson, M., Kornatowski, J., & Weckhuysen, B. M. (2009). Morphology-dependent zeolite intergrowth structures leading to distinct internal and outer-surface molecular diffusion barriers. *Nature Materials*, *8*, 959-965. doi:10.1038/NMAT2530.

Palkovits, R., Schmidt, W., Ilhan, Y., Erdem-Senatar, A., & Schüth, F. (2009). Crosslinked TS-1 as stable catalyst for the Beckmann rearrangement of cyclohexanone oxime. *Microporous and Mesoporous Materials*, *117*, 228-232. doi:10.1016/j.micromeso.2008.06.041.

Schmidt, W. (2009). Titanium-based nanoporous materials. In V. Valtchev, S. Mintova, & M. Tsapatsis (Eds.), *Ordered Porous Solids* (pp. 51-75). Amsterdam: Elsevier.

Schmidt, W. (2009). Calculation of XRD patterns of simulated FDU-15, CMK-5, and CMK-3 carbon structures. *Microporous and Mesoporous Materials*, *117*, 372-379. doi:10.1016/j.micromeso.2008.07.020.

Tzoulaki, D., Schmidt, W., Wilczok, U., & Kärger, J. (2008). Formation of surface barriers on silicalite-1 crystal fragments by residual water vapour as probed with isobutane by interference microscopy. *Microporous and Mesoporous Materials*, *110*, 72-76. doi:10.1016/j.micromeso.2007.08.041.

Pavel, C. C., Palkovits, R., Schüth, F., & Schmidt, W. (2008). The benefit of mesopores in ETS-10 on the vapor-phase Beckmann rearrangement of cyclohexanone oxime. *Journal of Catalysis*, *254*, 84-90. doi:10.1016/j.jcat.2007.11.020.

Tzoulaki, D., Heinke, L., Schmidt, W., Wilczok, U., & Kärger, J. (2008). Erforschung des kristallinen Aufbaus nanoporöser Materialien mithilfe zeitaufgelöster Konzentrationsprofile. *Angewandte Chemie*, *120*, 4018-4021. doi:10.1002/ange.200705597.

Romanova, E. E., Krause, C. B., Stepanov, A. G., Wilczok, U., Schmidt, W., van Baten, J. M., Krishna, R., Pampel, A., Kärger, J., & Freude, D. (2008). <sup>1</sup>H NMR signal broadening in spectra of alkane molecules adsorbed on MFI-type zeolites. *Solid State Nuclear Magnetic Resonance*, *33*, 65-71. doi:10.1016/j.ssnmr.2008.02.007.

Chmelik, C., Heinke, L., Karger, J., Schmidt, W., Shah, D. B., van Baten, J. M., & Krishna, R. (2008). Inflection in the loading dependence of the Maxwell-Stefan diffusivity of iso-butane in MFI zeolite. *Chemical Physics Letters*, *459*, 141-145. doi:10.1016/j.cplett.2008.05.023.

Tzoulaki, D., Heinke, L., Schmidt, W., Wilczok, U., & Kärger, J. (2008). Exploring crystal morphology of nanoporous hosts from time-dependent guest profiles. *Angewandte Chemie-International Edition*, *47*, 3954-3957. doi:10.1002/anie.200705597.

Hou, Z., Theyssen, N., Brinkmann, A., Klementiev, K. V., Grünert, W., Bühl, M., Schmidt, W., Spliethoff, B., Tesche, B., Weidenthaler, C., & Leitner, W. (2008). Supported palladium nanoparticles on hybrid mesoporous silica: Structure/activity-relationship in the aerobic alcohol oxidation using supercritical carbon dioxide. *Journal of Catalysis*, *258*, 315-323. doi:10.1016/j.jcat.2008.07.002.

Chmelik, C., Varmla, A., Heinke, L., Shah, D. B., Karger, J., Kremer, F., Wilczok, U., & Schmidt, W. (2007). Effect of surface modification on uptake rates of isobutane in MFI crystals: An infrared Microscopy study. *Chemistry of Materials*, *19*, 6012-6019. doi:10.1021/cm071632o.

Schmidt, W., Wilczok, U., Weidenthaler, C., Medenbach, O., Goddard, R., Buth, G., & Cepak, A. (2007). Preparation and morphology of pyramidal MFI single-crystal segments. *Journal of Physical Chemistry B*, *111*, 13538-13543. doi:10.1021/jp075934p.

Pavel, C. C., Zibrowius, B., Löffler, E., & Schmidt, W. (2007). On the influence of ion exchange on the local structure of the titanosilicate ETS-10. *Physical Chemistry Chemical Physics*, 9, 3440-3446. doi:10.1039/b701773a.

Rumplecker, A., Zibrowius, B., Schmidt, W., Yang, C.-M., & Schüth, F. (2007). Evolution of mesoporosity and microporosity of SBA-15 during a treatment with sulfuric acid. In D. Zhao, S. Qiu, Y. Tang, & C. Yu (Eds.), *Recent Progress in Mesoporous Materials* (pp. 195-198). Amsterdam: Elsevier.

Bellosta von Colbe, J. M., Schmidt, W., Felderhoff, M., Bogdanović, B., & Schüth, F. (2006). Hydrogen-isotope scrambling on doped sodium alanate. *Angewandte Chemie-International Edition*, 45, 3663-3665. doi:10.1002/anie.200504425.

Schwickardi, M., Olejnik, S., Salabaş, E.-L., Schmidt, W., & Schüth, F. (2006). Scalable synthesis of activated carbon with superparamagnetic properties. *Chemical Communications (Cambridge, U. K.)*, 3987-3989. doi:10.1039/b608231a.

Lu, A.-H., Li, W.-C., Schmidt, W., & Schüth, F. (2006). Low temperature oxidative template removal from SBA-15 using  $MnO_4^-$  solution and carbon replication of the mesoporous silica product. *Journal of Materials Chemistry*, 16, 3396-3401. doi:10.1039/b607542h.

Jobic, H., Schmidt, W., Krause, C. B., & Karger, J. (2006). PFG NMR and QENS diffusion study of n-alkane homologues in MFI-type zeolites. *Microporous and Mesoporous Materials*, 90, 299-306. doi:10.1016/j.micromeso.2005.10.020.

Lu, A.-H., Li, W.-C., Schmidt, W., & Schüth, F. (2006). Fabrication of hierarchically structured carbon monoliths via self-binding and salt templating. *Microporous and Mesoporous Materials*, 95, 187-192. doi:10.1016/j.micromeso.2006.05.024.

Mamatha, A., Bogdanović, B., Felderhoff, M., Pommerin, A., Schmidt, W., Schüth, F., & Weidenthaler, C. (2006). Mechanochemical preparation and investigation of properties of magnesium, calcium and lithium-magnesium alanates. *Journal of Alloys and Compounds*, 407, 78-86. doi:10.1016/j.jallcom.2005.06.069.

Pavel, C. C., & Schmidt, W. (2006). Generation of hierarchical pore systems in the titanosilicate ETS-10 by hydrogen peroxide treatment under microwave irradiation. *Chemical Communications (Cambridge, U. K.)*, 882-884. doi:10.1039/b515720j.

Pavel, C. C., Park, S.-H., Dreier, A., Tesche, B., & Schmidt, W. (2006). Structural defects induced in ETS-10 by postsynthesis treatment with  $H_2O_2$  solution. *Chemistry of Materials*, 18, 3813-3820. doi:10.1021/cm052261j.

Schmidt, W. (2006). Microporous and Mesoporous Catalysts. In R. Richards (Ed.), *Surface and Nanomolecular Catalysis* (pp. 95-139). Boca Raton: CRC/Taylor & Francis.

Weidenthaler, C., Lu, A.-H., Schmidt, W., & Schüth, F. (2006). X-ray photoelectron spectroscopic studies of PAN-based ordered mesoporous carbons (OMC). *Microporous and Mesoporous Materials*, 88, 238-243. doi:10.1016/j.micromeso.2005.09.015.

Bellosta von Colbe, J. M., Schmidt, W., Felderhoff, M., Bogdanović, B., & Schüth, F. (2006). Hydrogen-isotope scrambling on doped sodium alanate. *Angewandte Chemie*, 118, 3745-3747. doi:10.1002/ange.200504425.

Weidenthaler, C., Mao, Y., & Schmidt, W. (2005). Mixed CoNiAl spinels synthesized from ion-exchanged zeolites A and X. In J. Cejka (Ed.), *Molecular Sieves: From Basic Research to Industrial Applications, Studies in Surface Science and Catalysis* (Vol. 158, pp. 415-422). Amsterdam: Elsevier.

Lu, A.-H., Schmidt, W., Kiefer, W., & Schüth, F. (2005). High surface area mesoporous SiC synthesized via nanocasting and carbothermal reduction process. *Journal of Materials Science*, 40(18), 5091-5093. doi:10.1007/s10853-005-1115-8.

Weidenthaler, C., Pommerin, A., Felderhoff, M., Schmidt, W., Bogdanović, B., & Schüth, F. (2005). Evidence for the existence of  $\beta$ - $\text{Na}_3\text{AlH}_6$ : Monitoring the phase transformation from  $\alpha$ - $\text{Na}_3\text{AlH}_6$  by in situ methods. *Journal of Alloys and Compounds*, 398(1-2), 228-234. doi:10.1016/j.jallcom.2005.02.021.

Li, W.-C., Lu, A.-H., Palkovits, R., Schmidt, W., Spliethoff, B., & Schüth, F. (2005). Hierarchically structured monolithic silicalite-1 consisting of crystallized nanoparticles and its performance in the Beckmann rearrangement of cyclohexanone oxime. *Journal of the American Chemical Society*, 127(36), 12595-12600. doi:10.1021/ja052693v.

Bandyopadhyay, M., Birkner, A., van den Berg, M. W. E., Klementiev, K. V., Schmidt, W., Grünert, W., & Gies, H. (2005). Synthesis and characterization of mesoporous MCM-48 containing  $\text{TiO}_2$  nanoparticles. *Chemistry of Materials*, 17(15), 3820-3829. doi:10.1021/cm0484854.

Wen, F., Waldöfner, N., Schmidt, W., Angermund, K., Bönnemann, H., Modrow, S., Zinoveva, S., Modrow, H., Hormes, J., Beuermann, L., Rudenkiy, S., Maus-Friedrichs, W., Kemper, V., Vad, T., & Haubold, H.-G. (2005). Formation and characterization of Pt nanoparticle networks. *European Journal of Inorganic Chemistry*, (18), 3625-3640. doi:10.1002/ejic.200500446.

Schwickardi, M., Spliethoff, B., Schmidt, W., & Schüth, F. (2005). Direct synthesis of supported noble metal catalysts via the activated carbon route. *Zeitschrift für physikalische Chemie*, 219(7), 939-948. doi:10.1524/zpch.219.7.939.67085.

Schmidt, W. (2005). Synthetische Silicate. In R. Dittmeyer, W. Keim, G. Kreysa, & A. Oberholz (Eds.), *Chemische Technology (Winnacker-Küchler)* (pp. 849-850). Weinheim: Wiley-VCH.



Palkovits, R., Ilhan, Y., Schmidt, W., Yang, C.-M., Erdem-Sentalar, A., & Schüth, F. (2005). Beckmann rearrangement on microporous and mesoporous silica. In J. Cejka (Ed.), *Molecular Sieves: From Basic Research to Industrial Applications, Studies in Surface Science and Catalysis* (Vol.158, pp. 1255-1262). Amsterdam: Elsevier.

Lu, A.-H., Li, W.-C., Schmidt, W., & Schüth, F. (2005). Template synthesis of large pore ordered mesoporous carbon. *Microporous and Mesoporous Materials*, 80(1-3), 117-128. doi:10.1016/j.micromeso.2004.12.007.

Lu, A.-H., Schmidt, W., Tatar, S., Spliethoff, B., Popp, J., Kiefer, W., & Schüth, F. (2005). Formation of amorphous carbon nanotubes on ordered mesoporous silica support. *Carbon*, 43(8), 1811-1814. doi:10.1016/j.carbon.2005.02.024.

Wang, Y., Yang, C.-M., Schmidt, W., Spliethoff, B., Bill, E., & Schüth, F. (2005). Weakly ferromagnetic ordered mesoporous  $\text{Co}_3\text{O}_4$  synthesized by nanocasting from vinyl-functionalized cubic Ia3d mesoporous silica. *Advanced Materials*, 17(1), 53-56. doi:10.1002/adma.200400777.

Marlow, F., Kleitz, F., Wilczok, U., Schmidt, W., & Leike, I. (2005). Texture effects of circularly ordered fibers. *ChemPhysChem*, 6(7), 1269-1275. doi:10.1002/cphc.200400553.

Hashimoto, S., Saitoh, M., Taira, N., Schmidt, W., Hirai, K., & Tomioka, H. (2005). Emission spectroscopic investigation of triplet diarylcarbene generated in molecular sieve VPI-5. *Journal of Physical Chemistry B*, 109(43), 20407-20414. doi:10.1021/jp0548974.

Weidenthaler, C., Zibrowius, B., Schimanke, J., Mao, Y., Mienert, B., Bill, E., & Schmidt, W. (2005). Oxidation behavior of ferrous cations during ion exchange into zeolites under atmospheric conditions. *Microporous and Mesoporous Materials*, 84(1-3), 302-317. doi:10.1016/j.micromeso.2005.04.022.

Yang, C.-M., Schmidt, W., & Kleitz, F. (2005). Pore topology control of three-dimensional large pore cubic silica mesophases. *Journal of Materials Chemistry*, 15(48), 5112-5114. doi:10.1039/b513833g.

Schmidt, W. (2005). Synthetische Zeolithe. In R. Dittmeyer, W. Keim, G. Kreysa, & A. Oberholz (Eds.), *Chemische Technologie (Winnacker-Küchler)* (pp. 834-849). Weinheim: Wiley-VCH.

Li, W.-C., Lu, A.-H., Schmidt, W., & Schüth, F. (2005). High surface area, mesoporous, glassy alumina with a controllable pore size by nanocasting from carbon aerogels. *Chemistry-A European Journal*, 11(5), 1658-1664. doi:10.1002/chem.200400776.

Lu, A.-H., Schmidt, W., Spliethoff, B., & Schüth, F. (2004). Synthesis and characterization of nanocast silica NCS-1 with CMK-3 as a template. *Chemistry-A European Journal*, 10(23), 6085-6092. doi:10.1002/chem.200400180.

Lu, A.-H., Li, W.-C., Kiefer, A., Schmidt, W., Bill, E., Fink, G., & Schüth, F. (2004). Fabrication of magnetically separable mesostructured silica with an open pore system. *Journal of the American Chemical Society*, *126*(28), 8616-8617. doi:10.1021/ja0486521.

Lu, A., Kiefer, A., Schmidt, W., & Schüth, F. (2004). Synthesis of polyacrylonitrile-based ordered mesoporous carbon with tunable pore structures. *Chemistry of Materials*, *16*(1), 100-103. doi:10.1021/cm031095h.

Lu, A.-H., Li, W.-C., Schmidt, W., Kiefer, W., & Schüth, F. (2004). Easy synthesis of an ordered mesoporous carbon with a hexagonally packed tubular structure. *Carbon*, *42*(14), 2939-2948. doi:10.1016/j.carbon.2004.07.006.

Lu, A.-H., Schmidt, W., Matoussevitch, N., Bönemann, H., Spliethoff, B., Tesche, B., Bill, E., Kiefer, W., & Schüth, F. (2004). Nanoengineering of a magnetically separable hydrogenation catalyst. *Angewandte Chemie-International Edition*, *43*(33), 4303-4306. doi:10.1002/anie.200454222.

Yang, C.-M., Zibrowius, B., Schmidt, W., & Schüth, F. (2004). Stepwise removal of the copolymer template from mesopores and micropores in SBA-15. *Chemistry of Materials*, *16*(15), 2918-2925. doi:10.1021/cm049526z.

Kleitz, F., Schmidt, W., & Schüth, F. (2003). Calcination behavior of different surfactant-templated mesostructured silica materials. *Microporous and Mesoporous Materials*, *65*(1), 1-29. doi:10.1016/S1387-1811(03)00506-7.

Yang, C.-M., Zibrowius, B., Schmidt, W., & Schüth, F. (2003). Consecutive generation of mesopores and micropores in SBA-15. *Chemistry of Materials*, *15*(20), 3739-3741. doi:10.1021/cm031109j.

Lu, A.-H., Schmidt, W., Spliethoff, B., & Schüth, F. (2003). Synthesis of ordered mesoporous carbon with bimodal pore system and high pore volume. *Advanced Materials*, *15*(19), 1602-1606. doi:10.1002/adma.200305176.

Lu, A.-H., Schmidt, W., & Schüth, F. (2003). Simplified novel synthesis of ordered mesoporous carbon with a bimodal pore system. *New Carbon Materials*, *18*(3), 181-185.

Zibrowius, B., Weidenthaler, C., & Schmidt, W. (2003). Sorbate-induced changes in the framework of the titanosilicate ETS-10 as detected by <sup>29</sup>Si MAS NMR spectroscopy and X-ray powder diffraction. *Physical Chemistry Chemical Physics*, *5*(4), 773-777. doi:10.1039/b210235h.

Schüth, F., Czuryzkiewicz, T., Kleitz, F., Lindén, M., Lu, A.-H., Rosenholm, J., Schmidt, W., & Taguchi, A. (2003). Expanding horizons of mesoporous materials to non-siliceous systems. *Studies in Surface Science and Catalysis*, *146*, 399-406.

Schwickardi, M., Johann, T., Schmidt, W., & Schüth, F. (2002). High-surface-area oxides obtained by an activated carbon route. *Chemistry of Materials*, 14(9), 3913-3919. doi:10.1021/cm0211857.

Schüth, F., & Schmidt, W. (2002). Microporous and mesoporous materials. *Advanced Materials*, 14(9), 629-638. doi:10.1002/1521-4095(20020503)14:9<629:AID-ADMA629>3.0.CO;2-B.

Schüth, F., & Schmidt, W. (2002). Microporous and mesoporous materials. *Advanced Engineering Materials*, 4(5), 269-279. doi:10.1002/1527-2648(20020503)4:5<269:AID-ADEM269>3.0.CO;2-7.

Kestenbaum, H., Lange de Oliveira, A., Schmidt, W., Schüth, F., Ehrfeld, W., Gebauer, K., Löwe, H., Richter, T., Lebedz, D., Untiedt, I., & Züchner, H. (2002). Silver-catalyzed oxidation of ethylene to ethylene oxide in a microreaction system. *Industrial & Engineering Chemistry Research*, 41(4), 710-719. doi:10.1021/ie010306u.

Schwickardi, M., Johann, T., Schmidt, W., Busch, O., & Schüth, F. (2002). High surface area metal oxides from matrix assisted preparation in activated carbons. In E. Gaigneaux, D. E. De Vos, P. Grange, P. A. Jacobs, J. A. Martens, P. Ruiz, & G. Poncelet (Eds.), *Impact of Zeolites and other Porous Materials on the New Technologies at the Beginning of the New Millennium, Studies in Surface Science and Catalysis* (Vol. 143, pp. 93-100). Amsterdam: Elsevier.

Bönnemann, H., Brijoux, W., Hofstadt, H.-W., Ould-Ely, T., Schmidt, W., Waßmuth, B., & Weidenthaler, C. (2002). Wet chemistry synthesis of beta-nickel aluminide NiAl. *Angewandte Chemie - International Edition*, 41(4), 599-603. doi:10.1002/1521-3773(20020215).

Weidenthaler, C., Mao, Y., & Schmidt, W. (2002). Competitive ion exchange of transition metals in low silica zeolites. In F. Schüth F., F. Testa, & G. Giordano (Eds.), *Impact of Zeolites and other Porous Materials on the New Technologies at the Beginning of the New Millennium, Studies in Surface Science and Catalysis* (Vol. 143, pp. 1857-1864). Amsterdam: Elsevier.

Lu, A. H., Schmidt, W., Taguchi, A., Spliethoff, B., Tesche, B., & Schüth, F. (2002). Taking nanocasting one step further: Replicating CMK-3 as a silica material. *Angewandte Chemie - International Edition*, 41(18), 3489-3492. doi:10.1002/1521-3773(20020916)41:18<3489:AID-ANIE3489>3.0.CO;2-M.

Bönnemann, H., Brijoux, W., Hofstadt, H.-W., Ould Ely, T., Schmidt, W., Waßmuth, B., & Weidenthaler, C. (2002). Nasschemische Synthese von  $\beta$ -Nickelaluminid NiAl. *Angewandte Chemie*, 114, 628-632. doi:10.1002/1521-3757(20020215)114:4<628:AID-ANGE628>3.0.CO;2-2.

Schmidt, W. (2002). Positron Annihilation Spectroscopy. In F. Schüth, K. S. W. Sing, & J. Weitkamp (Eds.), *Handbook of Porous Solids* (pp. 506-532). Weinheim: Wiley-VCH.

Ågren, P., Thomson, S., Ilhan, Y., Zibrowius, B., Schmidt, W., & Schüth, F. (2002). Chemical linking of MFI-type colloidal zeolite crystals. In R. Aiello, F. Testa, & G. Giordano (Eds.), *Impact of*

*Zeolites and other Porous Materials on the New Technologies at the Beginning of the New Millennium, Studies in Surface Science and Catalysis* (Vol. 143, pp. 159-166). Amsterdam: Elsevier.

Schmidt, W. (2002). Application of Microporous Materials as Ion-Exchangers. In F. Schüth, K. S. W. Sing, & J. Weitkamp (Eds.), *Handbook of Porous Solids* (pp. 1058-1097). Weinheim: Wiley-VCH.

Schmidt, W., & Weidenthaler, C. (2001). A novel synthesis route for high surface area spinels using ion exchanged zeolites as precursors. *Microporous and Mesoporous Materials*, 48(1-3), 89-94. doi:10.1016/S1387-1811(01)00362-6.

Kleitz, F., Schmidt, W., & Schüth, F. (2001). Evolution of mesoporous materials during the calcination process: structural and chemical behavior. *Microporous and Mesoporous Materials*, 44-45, 95-109. doi:10.1016/S1387-1811(01)00173-1.

Hoffmann, C., Schmidt, W. N., & Schüth, F. (2001). A Multipurpose Parallelized 49-Channel Reactor for the Screening of Catalysts: Methane Oxidation as the Example Reaction. *Journal of Catalysis*, 198(2), 348-354. doi:10.1006/jcat.2000.3134.

Weidenthaler, C., & Schmidt, W. (2001). Thermal induced transformations on completely Zn<sup>2+</sup> exchanged zeolites A and Y. *Zeitschrift für Kristallographie*, 216(2), 105-111. doi:10.1524/zkri.216.2.105.20331.

Schmidt, W., & Weidenthaler, C. (2001). 10-P-07 - Heavy metal exchanged zeolites as precursors for high temperature stable phases. *Studies in Surface Science and Catalysis*, 135, 206. doi:10.1016/S0167-2991(01)81408-7.

Wingen, A., Schmidt, W., Schüth, F., Wie, A., Liao, C., & Chao, K. (2001). 29-P-25-Iron containing zeolites and mesoporous silica as sulfuric acid catalyst. *Studies in Surface Science and Catalysis*, 135, 317. doi:10.1016/S0167-2991(01)81720-1.

Schmidt, W., Toktarev, A., Schüth, F., Ione, K., & Unger, K. (2001). 02-P-23 - The influence of different silica sources on the crystallization kinetics of zeolite beta. In *Studies in Surface Science and Catalysis* (pp. 190). Amsterdam: Elsevier. doi:10.1016/S0167-2991(01)81362-8.

Schmidt, W., & Weidenthaler, C. (2001). Nanosized Transition Metal Spinel with High Surface Areas from Zeolite Precursors. *Chemistry of Materials*, 13(2), 607-612. doi:10.1021/cm001138j.

Kestenbaum, H., Lange de Oliveira, A., Schmidt, W., Schüth, F., Ehrfeld, W., Gebauer, K., Löwe, H., & Richter, T. (2000). Synthesis of ethylene oxide in a microreaction system. Applied Mineralogy in Research, Economy, Technology, Ecology and Culture. In D. Rammelmair, J. Mederer, T. Oberthür, R. Heimann, & H. Pentinghaus (Eds.), *Microreaction Technology: Industrial Prospects* (pp. 207-212). Springer-Verlag Berlin Heidelberg.

Kestenbaum, H., Lange de Oliveira, A., Schmidt, W., Schüth, F., Ehrfeld, W., Gebauer, K., & Löwe, H. (2000). Synthesis of ethylene oxide in a catalytic microreactor system. *Studies in Surface Science and Catalysis*, 130, 2741-2746. doi:10.1016/S0167-2991(00)80885-X.

Weidenthaler, C., & Schmidt, W. (2000). Thermal Stability and Thermal Transformations of Co<sup>2+</sup>- or Ni<sup>2+</sup>-Exchanged Zeolites A, X, and Y. *Chemistry of Materials*, 12(12), 3811-3820. doi:10.1021/cm0011312.

Richter, T., Ehrfeld, W., Erntner, D., Gebauer, K., Golbig, K., Hausner, O., Löwe, H., Lange de Oliveira, A., Schmidt, W., & Schüth, F. (2000). Microstructured Reactor for Consecutive Heterogeneous/Homogeneous Gas Phase Reactions. In *Microreaction Technology: Industrial Prospects* (pp. 687-693). Springer-Verlag Berlin Heidelberg.

Schmidt, W., & Schüth, F. (1997). Sorptive properties of cloverite. In *Characterisation of Porous Solids IV* (pp. 351-358). Cambridge: Royal Society of Chemistry.

Schmidt, W., Schüth, F., & Kallus, S. (1997). The thermal stability of the gallophosphate cloverite. *Studies in Surface Science and Catalysis*, 105, 771-778. doi:10.1016/S0167-2991(97)80628-3.

Althoff, R., Reitmaier, S., Schmidt, W., Zibrowius, B., Unger, K., & Schüth, F. (1995). The synthesis of zeolites from dry powders. *Studies in Surface Science and Catalysis*, 98, 36-37. doi:10.1016/S0167-2991(06)81074-8.

Reichert, H., Schmidt, W., Grillet, Y., Llewellyn, P., Rouquerol, J., & Unger (1994). Investigation on the Adsorption of N<sub>2</sub>, Ar, CO and CH<sub>4</sub> on Aluminophosphates. *Studies in Surface Science and Catalysis*, 87, 517-524. doi:10.1016/S0167-2991(08)63113-4.

Zibrowius, B., Anderson, M., Schmidt, W., Schüth, F., Aliev, A., & Harris, K. (1993). Aspects of the characterization of cloverite by solid-state n.m.r. techniques. *Zeolites*, 13(8), 607-610. doi:10.1016/0144-2449(93)90131-L.

Gügel, A., Müllen, K., Reichert, H., Schmidt, W., Schön, G., Schüth, F., Spiekermann, J., Titman, J., & Unger, K. (1993). The Incorporation of C<sub>60</sub> in Molecular Sieves. *Angewandte Chemie International Edition*, 32(4), 556-557. doi:10.1002/anie.199305561.

Schmidt, W., Schüth, F., Reichert, H., Unger, K., & Zibrowius, B. (1992). VPI-5 and related aluminophosphates: Preparation and thermal stability. *Zeolites*, 12(1), 2-8. doi:10.1016/0144-2449(92)90001-6.

Spichtinger, R., Kanz-Reuschel, B., Wallau, M., Schüth, F., Schmidt, W., & Unger, K. (1991). Zeolithe, maßgeschneiderte synthetische Molekularsieve für neue Anwendungen in Chemie. *Universität Mainz: Forschungsmagazin*, 2, 42-46.